


# MX0\_45

La luce conferisce forma e profondità allo spazio, gli estrusi con diffusore leggermente arretrato rispetto alla linea del soffitto garantiscono un elegante effetto grafico.

*The light gives shape and depth to the space, the extrusions with diffuser slightly set back from the ceiling line they guarantee an elegant graphic effect.*





Profilo alluminio 65 x 61mm per montaggio ad incasso in battuta, completo di diffusore opale (efficienza 64%) o prismaticizzato trasparente (efficienza 92%), driver e strip esclusi. Diffusore arretrato, alimentazione remota.

Aluminum profile 65 x 61mm for recessed mounting trim complete with opal diffuser (efficiency 64%) or transparent prismatic (efficiency 92%), drivers and strips excluded. Retracted diffuser, remote power supply.

## MX0\_45


finiture: bianco.  
finishing: white.

Sistema modulare per apparecchio singolo o file continue, realizzato in alluminio in versione minimal con diffusore arretrato, low contrast per luce generale con schermo opale, high contrast con diffusore prismaticizzato a luminanza controllata.

Modular system for single luminaire or continuous rows, made of aluminum in a minimal version with recessed low contrast diffuser for general light with opal screen, high contrast with prismatic diffuser with controlled luminance.

### Diffusore - diffuser

opale | prismaticizzato  
opal | prismatic



White

